

NATIONAL BOARD OF ACCREDITATION

Data Capturing Points of the Program Applied for NBA Accreditation– Tier I/II UG (Engineering) Institute Programs

| | |
|---|--|
| Program Name : Electronics & Communication Engineering | Discipline : Engineering & Technology |
| Level : Under Graduate | Tier : 2 |
| Application No : 11555 | Date of Submission : 07-02-2026 |

PART A- Profile of the Institute

| | |
|--|--|
| A1. Name of the Institute: IES COLLEGE OF ENGINEERING | |
| Year of Establishment : 2003 | Location of the Institute: Poovathur Parappoor Road Thrissur District Chittilappilly Kerala 680551 |
| A2. Institute Address: IES COLLEGE OF ENGINEERING P.O. CHITTILAPPILLY THRISSUR 680551 | |
| City: Trichur | State: Kerala |
| Pin Code: 680551 | Website: iesce.info |
| Email: mail@iesce.info | Phone No(with STD Code): 0487-2309966 |
| A3. Name and Address of the Affiliating University (if any): | |
| Name of the University : APJ ABDUL KALAM TECHNOLOGICAL UNIVERSITY | City: Trichur |
| State : Kerala | Pin Code: 695016 |
| A4. Type of the Institution: Self-Supported Institute | |
| A5. Ownership Status: Self financing | |

A6. Details of all Programs being Offered by the Institution:

- No. of UG programs: 7
- No. of PG programs: 3

Table No. A6.1: List of all programs offered by the Institute.

| Sr.No. | Discipline | Level of program | Name of the program | Year of Start | Year of Closed | Name of The Department |
|--------|--------------------------|------------------|---|---------------|----------------|---|
| 1 | Engineering & Technology | UG | Civil Engineering | 2003 | -- | Civil Engineering |
| 2 | Engineering & Technology | UG | Computer Science and Engineering | 2003 | -- | Computer Science and Engineering |
| 3 | Engineering & Technology | PG | Computer Science and Engineering | 2016 | 2025 | Computer Science and Engineering |
| 4 | Engineering & Technology | UG | Computer Science and Engineering (Data Science) | 2023 | -- | Computer Science and Engineering (Data Science) |
| 5 | Engineering & Technology | UG | Electrical & Electronics Engineering | 2007 | -- | Electrical and Electronics Engineering |
| 6 | Engineering & Technology | UG | ELECTRONICS AND COMMUNICATION ENGINEERING | 2003 | -- | Electronics and Communication Engineering |
| 7 | Engineering & Technology | PG | Geotechnical Engineering | 2010 | 2025 | Civil Engineering |
| 8 | Engineering & Technology | UG | Mechanical Engineering | 2007 | -- | Mechanical Engineering |
| 9 | Engineering & Technology | UG | Robotics and Artificial Intelligence | 2023 | -- | Robotics and Artificial Intelligence |
| 10 | Engineering & Technology | PG | VLSI Design | 2015 | 2025 | Electronics and Communication Engineering |

A7. Programs to be considered for Accreditation vide this Application:

Table No. A7.1: List of programs to be considered for accreditation.

| |
|-----------|
| No Record |
|-----------|

Table No. A7.2: Allied Department(s) to the Department of the program considered for accreditation as above.
Cluster ID. Name of the Department (in table no. A7.1) Name of allied Departments/Cluster (for table no. A7.1)

| |
|-----------|
| No Record |
|-----------|

PART-B: Program information**B1. Provide the Required Information for the Program Applied For:**

Table No. B1: Program details.

A. List of the Programs Offered by the Department:
List of the Allied Departments/Cluster and Programs:

B2. Detail of Head of the Department for the program under consideration:

| | |
|---------------------------|-----------------|
| A. Name of the HoD : | Ms. RACHANA M K |
| B. Nature of appointment: | Regular |
| C. Qualification: | M.E. |

B3. Program Details

Table No.B3.1: Admission details for the program excluding those admitted through multiple entry and exit points.

| Item (Information to be provided cumulatively for all the shifts with explicit headings, wherever applicable) | 2025-26 (CAY) | 2024-25 (CAYm1) | 2023-24 (CAYm2) | 2022-23 (CAYm3) | 2021-22 (CAYm4) | 2020-21 (CAYm5) | 2019-20 (CAYm6) |
|--|---------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| N=Sanctioned intake of the program (as per AICTE /Competent authority) | 30 | 30 | 60 | 60 | 60 | 60 | 60 |
| N1=Total no. of students admitted in the 1st year minus the no. of students, who migrated to other programs/ institutions plus no. of students, who migrated to this program | 30 | 30 | 37 | 60 | 20 | 33 | 32 |
| N2=Number of students admitted in 2nd year in the same batch via lateral entry including leftover seats | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| N3=Separate division if any | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| N4=Total no. of students admitted in the 1st year via all supernumerary quotas | 2 | 0 | 0 | 0 | 0 | 0 | 0 |
| Total number of students admitted in the program (N1 + N2 + N3 + N4) - excluding those admitted through multiple entry and exit points. | 32 | 30 | 37 | 60 | 20 | 33 | 32 |

CAY= Current Academic Year. CAYm1= Current Academic Year Minus 1 CAYm2= Current Academic Year Minus 2. LYG= Last Year Graduate. LYGm1= Last Year Graduate Minus 1. LYGm2= Last Year Graduate Minus 2.

B4. Enrolment Ratio in the First Year

Table No. B4.1: Student enrolment ratio in the 1st year.

| Year of entry | N (From Table 4.1) | N1 (From Table 4.1) | N4 (From Table 4.1) | Enrollment Ratio [(N1/N)*100] |
|-----------------|--------------------|---------------------|---------------------|-------------------------------|
| 2025-26 (CAY) | 30 | 30 | 2 | 106.67 |
| 2024-25 (CAYm1) | 30 | 30 | 0 | 100.00 |
| 2023-24 (CAYm2) | 60 | 37 | 0 | 61.67 |

Average $[(ER1 + ER2 + ER3) / 3] = 89.45 \approx 17.00$

B5. Success Rate of the Students in the Stipulated Period of the Program

Table No.B5.1: The success rate in the stipulated period of a program.

| Item | (2021-22) LYG | (2020-21) LYGm1 | (2019-20) LYGm2 |
|---|---------------|-----------------|-----------------|
| A*= (No. of students admitted in the 1st year of that batch and those actually admitted in the 2nd year via lateral entry, plus the number of students admitted through multiple entry (if any) and separate division if applicable, minus the number of students who exited through multiple entry (if any). | 18.00 | 31.00 | 32.00 |
| B=No. of students who graduated from the program in the stipulated course duration | 9.00 | 20.00 | 21.00 |
| Success Rate (SR)= (B/A) * 100 | 50.00 | 64.52 | 65.62 |

Average SR of three batches $((SR_1 + SR_2 + SR_3)/3)$: 60.05

B6. Academic Performance of the First-Year Students of the Program

Table No.B6.1: Academic Performance of the First-Year Students of the Program.

| Academic Performance | CAYm1(2024-25) | CAYm2(2023-24) | CAYm3 (2022-23) |
|---|------------------|------------------|-------------------|
| Mean of CGPA or mean percentage of all successful students(X) | 7.37 | 6.76 | 7.21 |

| | | | |
|---|-------|-------|-------|
| Y=Total no. of successful students | 4.00 | 14.00 | 28.00 |
| Z=Total no. of students appeared in the examination | 30.00 | 37.00 | 60.00 |
| API [X*(Y/Z)] | 0.98 | 2.56 | 3.36 |

Average API [(AP1+AP2+AP3)/3] : 2.30

B7: Academic Performance of the Second Year Students of the Program

Table No.B7.1: Academic Performance of the Second Year Students of the Program.

| Academic Performance | CAYm1 (2024-25) | CAYm2 (2023-24) | CAYm3 (2022-23) |
|--|-------------------|-------------------|-------------------|
| X=(Mean of 2nd year grade point average of all successful students on a 10-point scale) or (Mean of the percentage of marks of all successful students in 2nd year/10) | 6.82 | 7.00 | 6.52 |
| Y=Total no. of successful students | 7.00 | 16.00 | 9.00 |
| Z=Total no. of students appeared in the examination | 14.00 | 28.00 | 11.00 |
| API [X * (Y/Z)] | 3.41 | 4.00 | 5.33 |

Average API [(AP1 + AP2 + AP3)/3] : 4.25

B8. Academic Performance of the Third Year Students of the Program

Table No.B8.1: Academic Performance of the Third Year Students of the Program

| Academic Performance | CAYm1 (2024-25) | CAYm2 (2023-24) | CAYm3 (2022-23) |
|--|-----------------|-----------------|-----------------|
| X=(Mean of 3rd year grade point average of all successful students on a 10-point scale) or (Mean of the percentage of marks of all successful students in 3rd year/10) | 6.94 | 6.68 | 7.52 |
| Y=Total no. of successful students | 13.00 | 9.00 | 20.00 |
| Z=Total no. of students appeared in the examination | 16.00 | 9.00 | 24.00 |
| API [X*(Y/Z)]: | 5.64 | 6.68 | 6.27 |

Average API [(AP1 + AP2 + AP3)/3] : 6.20

B9. Placement, Higher Studies, and Entrepreneurship

Table No.B9.1: Placement, higher studies, and entrepreneurship details.

| Item | LYG (2021-22) | LYGm1(2020-21) | LYGm2(2019-20) |
|--|---------------|----------------|----------------|
| FS*=Total no. of final year students | 9.00 | 20.00 | 26.00 |
| X=No. of students placed | 7.00 | 13.00 | 24.00 |
| Y=No. of students admitted to higher studies | 1.00 | 4.00 | 0.00 |
| Z= No. of students taking up entrepreneurship | 1.00 | 3.00 | 2.00 |
| Placement Index(P) = (((X + Y + Z)/FS) * 100): | 100.00 | 100.00 | 100.00 |

Average Placement Index = (P_1 + P_2 + P_3)/3: 100.00 Placement Index Points:

PART C: Faculty Details in Department and Allied Departments**(Data to be filled in for the Department and Allied Departments)****C1. Faculty details of Department and Allied Departments**

Table No.C1: Faculty details in the Department for the past 3 years including CAY

| Sr.No | Name of the Faculty | PAN No. | Highest degree | University | Area of Specialization | Date of Joining in this Institution | Experience in years in current institute | Designation at Time Joining in this Institution | Present Designation | The date on which Designated as Professor/ Associate Professor if any | Nature of Association (Regular/ Contract/ Ad hoc) | Cur Ass (Y/N) |
|-------|---------------------|-------------|------------------|--|---|-------------------------------------|--|---|---------------------|---|---|---------------|
| 1 | Dr. P V N REDDY | XXXXXXXX09F | M.Tech and Ph.D. | Jawaharlal nehru technological university kakinada | Digital Image Processing | 12/05/2023 | 2.8 | Professor | Professor | 12/05/2023 | Regular | Yes |
| 2 | Dr. SENTHIL SINGH C | XXXXXXXX67P | M.E. and Ph.D. | Anna University | Information and Communication Engineering | 14/06/2016 | 9.2 | Associate Professor | Professor | 05/06/2023 | Regular | No |
| 3 | Dr. LINCE MATHEW | XXXXXXXX59L | M.Tech and Ph.D. | Jodhpur National University | Light Fidelity | 01/07/2017 | 8 | Associate Professor | Associate Professor | 01/07/2017 | Regular | No |

| | | | | | | | | | | | | |
|----|------------------------|-------------|----------------|---|---|------------|-------|---------------------|---------------------|------------|---------|-----|
| 4 | Dr. ROSI A | XXXXXXXX48J | M.E. and Ph.D. | Anna University | Information and Communication Engineering | 01/05/2020 | 5.9 | Associate Professor | Associate Professor | 01/05/2020 | Regular | Yes |
| 5 | Ms. RACHANA M K | XXXXXXXX63G | M.E. | Anna University | VLSI Design | 07/11/2007 | 18 | Lecturer | Associate Professor | 09/05/2023 | Regular | Yes |
| 6 | Ms. LINU BABU P | XXXXXXXX67D | M.Tech | Calicut university | Applied Electronics and Communication Systems | 03/10/2007 | 18.4 | Lecturer | Associate Professor | 10/04/2024 | Regular | Yes |
| 7 | Ms. SINDHU T V | XXXXXXXX25C | M.E. | Anna University | VLSI Design | 17/08/2011 | 14.5 | Assistant Professor | Assistant Professor | | Regular | Yes |
| 8 | MR. AJEESH S | XXXXXXXX87B | M.Tech | Kerala University | Applied Electronics and Instrumentation | 10/10/2011 | 11.10 | Assistant Professor | Assistant Professor | | Regular | No |
| 9 | Ms. SHAHAZIYA PARVEZ M | XXXXXXXX89G | M.Tech | Mahatma Gandhi University | Communication Systems | 05/09/2012 | 13.5 | Lecturer | Assistant Professor | | Regular | Yes |
| 10 | Ms. BENCY VARGHESE A | XXXXXXXX98H | M.Tech | Cochin University of Science and Technology | VLSI and Embedded Systems | 23/06/2014 | 11.7 | Assistant Professor | Assistant Professor | | Regular | Yes |
| 11 | Ms. SUVITHA P S | XXXXXXXX39B | M.Tech | Calicut university | VLSI Design | 01/06/2016 | 9.8 | Assistant Professor | Assistant Professor | | Regular | Yes |
| 12 | Ms. ANJALI RAJAN | XXXXXXXX44N | M.Tech | Kerala Technical University (KTU) | Applied Electronics and Communication Systems | 01/02/2019 | 7 | Assistant Professor | Assistant Professor | | Regular | Yes |
| 13 | MS. SOWMYA P C | XXXXXXXX81H | M.Tech | Kerala Technical University (KTU) | VLSI Design | 01/09/2022 | 3.5 | Assistant Professor | Assistant Professor | | Regular | Yes |
| 14 | Ms. ANITTA ANTONY | XXXXXXXX09E | M.Tech | Kerala Technical University (KTU) | Signal Processing | 27/02/2023 | 0.1 | Assistant Professor | Assistant Professor | | Regular | No |
| 15 | Mr. VIPIN T V | XXXXXXXX71C | M.Tech | Kerala Technical University (KTU) | Embedded Systems | 02/06/2025 | 0.8 | Lecturer | Assistant Professor | | Regular | Yes |

Table No.C2: Faculty details of Allied Departments for the past 3 years including CAY.

C2. Student-Faculty Ratio (SFR)

No. of UG(Engineering) programs in Department including allied departments/ clusters (UGn):

UG1=1st UG program

UGn=nth UG program

B= No. of Students in UG 2nd year (ST)**C**= No. of Students in UG 3rd year (ST)**D**= No. of Students in UG 4th year (ST)

No. of PG (Engineering) programs in Department including allied departments/ clusters (PGm):

PG1=1st PG program.

PGm=mth PG program

A= No. of Students in PG 1st year**B**= No. of Students in PG 2nd yearStudent Faculty Ratio (**SFR**) = S/F

S= No. of students of all programs in the Department including all students of allied departments/clusters.

No. of students (ST)=Sanctioned Intake (SA)+ Actual admitted students via lateral entry including leftover seats (L) if any (limited to 10 % of SA)

Students who admitted under supernumerary quotas (SNQ, EWS, etc) will not be considered in calculating SFR value. Those students are exempted.

F=Total no. of regular or contractual faculty members (Full Time) in the Department, including allied departments/clusters (excluding first year faculty (The faculty members who have a 100% teaching load in the first-year courses)).

No. of UG Programs in the Department1 No. of PG Programs in the Department1

Table No.C2.1: Student-faculty ratio.

| Description | CAY(2025-26) | CAYm1 (2024-25) | CAYm2 (2023-24) |
|-------------|--------------|-----------------|-----------------|
| UG1.B | 30 | 60 | 60 |

| Description | CAY(2025-26) | CAYm1 (2024-25) | CAYm2 (2023-24) |
|---|--------------------|--------------------|--------------------|
| UG1.C | 60 | 60 | 60 |
| UG1.D | 60 | 60 | 60 |
| UG1: ELECTRONICS AND COMMUNICATION ENGINEERING | 150 | 180 | 180 |
| PG1.A | 0 | 18 | 18 |
| PG1.B | 18 | 18 | 18 |
| PG1: VLSI Design | 18 | 36 | 36 |
| DS=Total no. of students in all UG and PG programs in the Department | 168 | 216 | 216 |
| AS=Total no. of students of all UG and PG programs in allied departments | 0 | 0 | 0 |
| S=Total no. of students in the Department (DS) and allied departments (AS) | S1= 168 | S2= 216 | S3= 216 |
| DF=Total no. of faculty members in the Department | 11 | 12 | 12 |
| AF= Total no. of faculty members in the allied Departments | 0 | 0 | 0 |
| F=Total no. of faculty members in the Department (DF) and allied Departments (AF) | F1= 11 | F2= 12 | F3= 12 |
| FF=The faculty members in F who have a 100% teaching load in the first-year courses | 1 | 1 | 1 |
| Student Faculty Ratio (SFR)=S/(F-FF) | SFR1= 16.80 | SFR2= 19.64 | SFR3= 19.64 |
| Average SFR for 3 years | SFR= 18.69 | | |

C3. Faculty Qualification

- Faculty qualification index (FQI) = $2.5 * [(10X + 4Y)/RF]$ where
- X=No. of faculty members with Ph.D. degree or equivalent as per AICTE/UGC norms.
- Y=No. of faculty members with M. Tech. or ME degree or equivalent as per AICTE/ UGC norms.
- RF=No. of required faculty in the Department including allied Departments to adhere to the 20:1 Student-Faculty ratio, with calculations based on both student numbers and faculty requirements as per section C2 of this documents: (RF=S/20).

Table No.C3.1: Faculty qualification.

| Year | X | Y | RF | FQ = $2.5 \times [(10X + 4Y) / RF]$ |
|----------------|---|---|-------|-------------------------------------|
| 2025-26(CAY) | 2 | 9 | 8.00 | 17.50 |
| 2024-25(CAYm1) | 4 | 8 | 10.00 | 18.00 |
| 2023-24(CAYm2) | 4 | 8 | 10.00 | 18.00 |

C4. Faculty Cadre Proportion

- Faculty Cadre Proportion is 1(RF1): 2(RF2): 6(RF3)
- RF1= No. of Professors required = $1/9 * \text{No. of Faculty required to comply with 20:1 Student-Faculty ratio based on no. of students (S) as per C2 of this documents.}$
- RF2= No. of Associate Professors required = $2/9 * \text{No. of Faculty required to comply with 20:1 Student-Faculty ratio based on no. of students (S) as per section C2 of this documents.}$
- RF3= No. of Assistant Professors required = $6/9 * \text{No. of Faculty required to comply with 20:1 Student-Faculty ratio based on no. of students (S) as per section C2 of this documents.}$
- Faculty cadre and qualification and experience should be as per AICTE/UGC norms.

Table No.C4.1: Faculty cadre proportion details.

| Year | Professors | | Associate Professors | | Assistant Professors | |
|---------|--------------|---------------|----------------------|---------------|----------------------|---------------|
| | Required RF1 | Available AF1 | Required RF2 | Available AF1 | Required RF3 | Available AF3 |
| 2025-26 | 1.00 | 1.00 | 1.00 | 1.00 | 5.00 | 9.00 |
| 2024-25 | 1.00 | 2.00 | 2.00 | 2.00 | 7.00 | 8.00 |
| 2023-24 | 1.00 | 2.00 | 2.00 | 2.00 | 7.00 | 8.00 |
| Average | RF1=1.00 | AF1=1.67 | RF2=1.67 | AF2=1.67 | RF2=6.33 | AF2=8.33 |

C5. Visiting/Adjunct Faculty/Professor of Practice

Table No. C5.1: List of visiting/adjunct faculty/professor of practice and their teaching and practical loads.

(CAYm1)

| S.No | Name of the Person | Designation | Organization | Name of the Course | No. of hours handled |
|------|-------------------------|-------------|---------------------|---------------------------|----------------------|
| 1 | Mr. Kathiru Santhikumar | CEO | Thinkfotech, Kannur | Electronic Product Design | 58.00 |

(CAYm2)

| S.No | Name of the Person | Designation | Organization | Name of the Course | No. of hours handled |
|------|-------------------------|---------------------|--|--------------------|----------------------|
| 1 | Dr. Nitha K P | Professor(Visiting) | Sreepathy Institute of Management and Technology, Palakkad | Cyber Security | 58.00 |
| 2 | Mr. Kathiru Santhikumar | CEO | Thinkfotech, Kannur | Embedded Systems | 60.00 |

(CAYm3)

| S.No | Name of the Person | Designation | Organization | Name of the Course | No. of hours handled |
|------|--------------------|------------------|-------------------|-----------------------------|----------------------|
| 1 | Ms. Divya Das | Project Engineer | C-DAC STDC, Kochi | Foundations of Cryptography | 57.00 |

C6. Academic Research

Table No. C6.1: Faculty publication details.

| S.No. | Item | 2024-25 (CAYm1) | 2023-24 (CAYm2) | 2022-23 (CAYm3) |
|-------|--|-----------------|-----------------|-----------------|
| 1 | No. of peer reviewed journal papers published | 27 | 25 | 24 |
| 2 | No. of peer reviewed conference papers published | 10 | 8 | 7 |
| 3 | No. of books/book chapters published | 0 | 0 | 0 |

C7. Sponsored Research Project

Table No. C7.1: List of sponsored research projects received from external agencies.

(CAYm1)

| PI Name | Co-PI names if any | Name of the Dept., where project is sanctioned | Project Title* | Name of the Funding agency | Duration of the project | Amount(Lacs) i.e. 15,25,000=15.25 |
|---------------------|---------------------|--|--|----------------------------|-------------------------|-----------------------------------|
| Ms.Rachana M.K | Ms.Bency Varghese A | MSME | Lifeguard X-The Future of Water Rescue | A ICTE | 1 Year | 15.00 |
| Ms.Bency Varghese A | Ms.Anjali Rajan | CERD | Smart Ambulance Alerting Drone | APJKTU | 6 Months | 0.15 |
| | | | | | | Amount received (Rs.):15.15 |

(CAYm2)

| PI Name | Co-PI names if any | Name of the Dept., where project is sanctioned | Project Title* | Name of the Funding agency | Duration of the project | Amount(Lacs) i.e. 15,25,000=15.25 |
|------------------------|----------------------|--|---|----------------------------|-------------------------|-----------------------------------|
| Dr. S Brilly Sangeetha | Ms.Shahazia Parvez M | MSME | Energy Production optimization by block chain based positioning of solar panels | AICTE | 1 Year | 15.00 |
| | | | | | | Amount received (Rs.):15.00 |

(CAYm3)

| PI Name | Co-PI names if any | Name of the Dept., where project is sanctioned | Project Title* | Name of the Funding agency | Duration of the project | Amount(Lacs) i.e. 15,25,000=15.25 |
|---------|--------------------|--|----------------|----------------------------|-------------------------|-----------------------------------|
| nil | nil | nil | nil | nil | nil | 0.00 |
| | | | | | | Amount received (Rs.):0.00 |

Total Amount (Lacs) Received for the Past 3 Years: 30.15

Note*:

- Only sponsored research projects will be considered. Infrastructure-based projects will not be considered here.

C8. Consultancy Work

Table No. C8.1: List of consultancy projects received from external agencies.

(CAYm1)

| PI Name | Co-PI names if any | Name of the Dept., where project is sanctioned | Project Title* | Name of the Funding agency | Duration of the project | Amount(Lacs) i.e. 15,25,000=15.25 |
|----------------|--------------------|--|--------------------|--|-------------------------|--------------------------------------|
| Ms.Rachana M.K | Ms.Sindhu T.V | Sethu Seetharam Public School,Elathur,Kozhikkode | Humanoid Robot | Director,Sethuseetharam School,Elathoor , Kozhikkode | 8 Months | 1.00 |
| Ms.Linu Babu P | Ms.Sindhu T.V | IES Public School ,Chittilappilly | ATAL Tinkering Lab | IES Management | 1 Year | 1.00 |
| | | | | | | Amount received (Rs.):2.00 |

(CAYm2)

| PI Name | Co-PI names if any | Name of the Dept., where project is sanctioned | Project Title* | Name of the Funding agency | Duration of the project | Amount(Lacs) i.e. 15,25,000=15.25 |
|---------------------|--------------------|--|---|--------------------------------|-------------------------|--------------------------------------|
| Ms.Bency Varghese A | Ms. Suvitha P.S | First Law,Thrissur | RC Hydro Sopper | Proprietor,First Law | 9 Months | 3.00 |
| Ms. Sindhu T.V | Ms.Sowmya P.C | Hertzo Automotive, Thrissur | Pothole Detection and Levelling Vehicle | CEO,Hertzo Automotive,Thrissur | 8 Months | 3.50 |
| | | | | | | Amount received (Rs.):6.50 |

(CAYm3)

| PI Name | Co-PI names if any | Name of the Dept., where project is sanctioned | Project Title* | Name of the Funding agency | Duration of the project | Amount(Lacs) i.e. 15,25,000=15.25 |
|---------------------|----------------------|--|--|---|-------------------------|--------------------------------------|
| Ms.Sindhu T.V | Ms.Soumya P C | Fab Studioz software,Thrissur | Plant disease detection using Double GAN | Director,Fab Studio Software,Thrissur | 6 Months | 1.50 |
| Ms.Bency Varghese A | Ms.Anjali Rajan | IES Public School,Chittilappilly | Napkin vending machine | IES Education Society | 4 Months | 0.60 |
| Mr.Ajeesh .S | Ms.Shehazia Parvez M | Thinkfotech Innovation PVT.Ltd Kannur | Physiotherapy Robot | CEO,Thinkfotech Innovation ,Kannur | 6 Months | 2.00 |
| Ms.Linu Babu P | Ms. Suvitha P S | Thinkfotech Innovation PVT.Ltd ,Kannur | Old Age People Assistance | CEO,Thinkfotech Innovation , Thrissur | 4 Month | 1.50 |
| Ms.Rachana M.K | Ms. Linu Babu P | IES Public School,Chittilappilly | Automatic speaking Sanitizer | IES Education Society | 2Months | 0.25 |
| Mr.Ajeesh S | Ms. Sindhu T V | Sivadam Kudumbashree Unit Muvattupuzha | Bio floc monitoring System | Kudumbashree Unit Fish Farming Section | 3Months | 1.00 |
| Ms.Sowmya P C | Ms.Anjali Rajan | Pride Kitchen Caters & Events, Thrissur | Easy Idiyappam Maker | Proprietor- Home Based food processing Unit | 1 Months | 0.02 |
| | | | | | | Amount received (Rs.):6.87 |

Total amount (Lacs) received for the past 3 years: 15.37

Note*:

- Only consultancy projects will be considered. Infrastructure-based projects will not be considered here.

C9. Institution Seed Money or Internal Research Grant to its Faculty for Research Work

Table No. C9.1: List of faculty members received seed money or internal research grant from the Institution.

(CAYm1)

| Faculty name | Project title/ Support for Activity | Duration of the project | Amount(Lacs) i.e. 15,25,000=15.25 | Amount Utilized(Lacs) i.e. 15,25,000=15.25 | Outcomes of the project |
|----------------|--|-------------------------|-----------------------------------|--|---|
| Ms.Rachana M.K | Development of Humanoid Robotic Teacher/Bamboo Lab 3D Printer . | 1 Year | 1.00 | 1.00 | Developed a Humanoid Robot with 3D Printed Body Parts. |
| Ms.Rachana M.K | Error Detection and Correction of Nano network using QCA | 3 Year | 0.30 | 0.30 | Students learned concepts of nano networks and error detection techniques. They developed project skills in Nano electronics. |
| Ms.Linu Babu P | Gastro Intestinal Tract Disease Detection on Wireless Capsule Endoscopy Images | 3 Year | 0.30 | 0.30 | Students able to design disease detection algorithms, Enhanced skills in MATLAB/Python based image analysis. |
| Ms.Sindhu T V | An Improved Technique for Burst Error Correction Code with Parallel Decoding | 3 Year | 0.30 | 0.30 | Helped final year students to do projects in ECC & parallel decoding techniques used in modern communication systems. |
| Ms.Suvitha P S | Convolutional Neural Network Hardware Acceleration Through ACMA | 3 Year | 0.30 | 0.30 | Developed skills in AI hardware based projects and also understood approximate computing for low power design. |
| | | | Amount received (Rs.): 2.20 | | |

(CAYm2)

| Faculty name | Project title/ Support for Activity | Duration of the project | Amount(Lacs) i.e. 15,25,000=15.25 | Amount Utilized(Lacs) i.e. 15,25,000=15.25 | Outcomes of the project |
|---------------------|--|-------------------------|-----------------------------------|--|---|
| Ms.Rachana M K | Error Detection and Correction of Nano network using QCA | 3 Year | 0.30 | 0.30 | Students developed project skills in nano electronics which is useful for their final year projects |
| Ms.Linu Babu P | Gastro Intestinal Tract Disease Detection on Wireless Capsule Endoscopy Images | 3 Year | 0.30 | 0.30 | Students able to design disease detection algorithms, Enhanced skills in Python based image analysis. |
| Ms.Sindhu T.V | An Improved Technique for Burst Error Correction Code with Parallel Decoding | 3 Year | 0.30 | 0.30 | Helped final year students to do projects in ECC & parallel decoding techniques used in modern communication systems. |
| Ms. Suvitha P S | Convolutional Neural Network Hardware Acceleration Through ACMA | 3 Year | 0.30 | 0.30 | Students developed skills in AI hardware based projects and also understood approximate computing for low power design. |
| Ms.Bency Varghese A | Domestic PCB Milling Machine | 1Year | 0.55 | 0.52 | Students able to design and fabricate PCB Prototypes, Industry relevant skills |
| | | | Amount received (Rs.): 1.75 | | |

(CAYm3)

| Faculty name | Project title/ Support for Activity | Duration of the project | Amount(Lacs) i.e. 15,25,000=15.25 | Amount Utilized(Lacs) i.e. 15,25,000=15.25 | Outcomes of the project |
|-----------------|--|-------------------------|-----------------------------------|--|---|
| Ms.Rachana M K | Error Detection and Correction of Nano network using QCA | 3Year | 0.30 | 0.30 | Students learned concepts of nano networks and error detection techniques. They developed project skills in nano electronics |
| Ms.Linu Babu P | Gastro Intestinal Tract Disease Detection on Wireless Capsule Endoscopy Images | 3Year | 0.30 | 0.30 | Students able to design disease detection algorithms, Enhanced skills in Python based image analysis. |
| Ms.Sindhu T.V | An Improved Technique for Burst Error Correction Code with Parallel Decoding | 3Year | 0.30 | 0.30 | Helped students for their final year projects in error control coding/ parallel decoding techniques used in modern communication systems. |
| Ms. Linu Babu P | Optical Splicing Machine | 6 Months | 1.60 | 1.40 | Hands on Training Optical Splicing and Improving practical learning |
| | | | Amount received (Rs.): 2.50 | | |

Total amount (Lacs) received for the past 3 years : 6.45

PART D: Laboratory Infrastructure in the Department

(Data to be filled in for the Department)

D1. Adequate and Well-Equipped Laboratories, and Technical Manpower

Table No.D1.1: List of laboratories and technical manpower.

| Sr. No | Name of the Laboratory | Number of students per set up(Batch Size) | Name of the Important Equipment | Weekly utilization status(all the courses for which the lab is utilized) | Technical Manpower Support | | |
|--------|--|---|---|--|-----------------------------|---------------|---------------|
| | | | | | Name of the Technical staff | Designation | Qualification |
| 1 | Microcontroller Laboratory | 30 | 1.Microprocessor Trainer Kit (8086) 2.80196 Evaluation Kit 3. 8051 | 18 hr/ week | Ms.Aswathy I | Laboratory In | B.Tech -Elect |
| 2 | Analog Integrated Circuit and Simulation lab | 30 | 1.DSP Kit VSK6748 2. Data Formatting and Carrier Modulation | 24hr/week | Mr.Firoz Shaf | Laboratory In | Diploma- Ele |
| 3 | Logic design Laboratory | 30 | 1.CRO 2. Function Generator 3.Digital Trainer Kit 4. Decade | 12 hr/ week | Ms.Kavitha K | Laboratory In | Diploma - Ele |
| 4 | VLSI Laboratory | 30 | 1.Personal Computer 2.Spartan 3E Starter Kit 3. Vivado FPGA Kit | 24 hr/ week | Mr.Firoz Shaf | Laboratory In | Diploma - Ele |
| 5 | Electro Magnetics Laboratory | 30 | 1.Advanced Fiber Trainer Kit Dual Channel 2. Microwave Test Bench - | 12 hr/ week | Ms.Kavitha K | Laboratory In | Diploma - Ele |
| 6 | Electronics Circuits Laboratory | 30 | 1.CRO 2. Function Generator 3.LCR Meter 4. Decade | 24 hr/ week | Ms.Aswathy I | Laboratory In | B.Tech Elect |

D2. Safety Measures in Laboratories

Table No. D2.1: List of various safety measures in laboratories.

| Sr. No | Laboratory Name | Safety Measures |
|--------|----------------------------|--|
| 1 | Microcontroller Laboratory | <p>The laboratory is equipped with a fire extinguisher for emergency fire handling and an automatic cut-off MCB system to prevent electrical overloads and short circuits. Uninterrupted Power Supply (UPS) support is provided to ensure continuous operation of systems during power fluctuations or outages. Regular data backup mechanisms are maintained to safeguard important academic and research data. A first aid box is readily available to handle minor medical emergencies. Firewall protection is enabled to ensure cybersecurity and prevent unauthorized access. Proper electrical earthing is maintained to avoid electrical hazards, and 24-hour power supply is ensured for uninterrupted laboratory functioning. Do's and Don'ts and Safety measures rules are displayed in each laboratory. Do's 1.Students are required to wear appropriate uniforms and ID cards at all times. 2.Know the location of the fire extinguisher and the first aid box and how to use them in case of an emergency. 3. Report fires or accidents to Faculty in-charges/ laboratory instructor immediately. 4.Report any broken plugs or exposed electrical wires immediately to the faculty in charge/laboratory instructor. Don'ts 1. Do not eat or drink in the laboratory. 2. Avoid stepping on electrical wires or any other computer cables. 3. Do not open the system unit casings or monitor casing particularly when the power is turned on. 4. Do not insert metal objects such as clips, pins and needles into the computer casings. 5. Do not touch, connect or disconnect any plug or cable without faculty in charge / laboratory instructor's permission. 6. Do not plug in external devices without scanning them for computer viruses. 7.The lab has a "strict discipline" policy—avoid loud talking, moving between tables unnecessarily, or mishandling the embedded kits.</p> |

| | | |
|----------|---|---|
| <p>2</p> | <p>Analog Integrated Circuits and Simulation Laboratory</p> | <p>The laboratory is equipped with a fire extinguisher for emergency fire handling and an automatic cut-off MCB system to prevent electrical overloads and short circuits. Uninterrupted Power Supply (UPS) support is provided to ensure continuous operation of systems during power fluctuations or outages. Regular data backup mechanisms are maintained to safeguard important academic and research data. A first aid box is readily available to handle minor medical emergencies. Firewall protection is enabled to ensure cybersecurity and prevent unauthorized access. Proper electrical earthing is maintained to avoid electrical hazards, and 24-hour power supply is ensured for uninterrupted laboratory functioning. Do's and Don'ts and Safety measures rules are displayed in each laboratory. Do's 1. Students must wear uniform, shoes and ID card at all times. Failure to comply with this dress code will result in being denied entry to the laboratory 2. Know the location of the fire extinguisher and the first aid box and how to use them in case of an emergency. 3. Report fires or accidents to faculty in charge / laboratory instructor immediately. 4. Report any broken plugs or exposed electrical wires immediately to the faculty in charge/laboratory instructor. Don'ts 1. Do not eat or drink in the laboratory. 2. Avoid stepping on electrical wires or any other computer cables. 3. Do not open the system unit casing or monitor casing particularly when the power is turned on. 4. Do not insert metal objects such as clips, pins and needles into the computer casings. 5. Do not touch, connect or disconnect any plug or cable without faculty in charge / laboratory instructor's permission. 6. Do not plug in external devices without scanning them for computer viruses. 7. The lab has a "strict discipline" policy—avoid loud talking, moving between tables unnecessarily, or mishandling the communication kits.</p> |
| <p>3</p> | <p>Logic design Laboratory</p> | <p>The laboratory is equipped with a fire extinguisher for emergency fire handling and an automatic cut-off MCB system to prevent electrical overloads and short circuits. Uninterrupted Power Supply (UPS) support is provided to ensure continuous operation of systems during power fluctuations or outages. A first aid box is readily available to handle minor medical emergencies. Proper electrical earthing is maintained to avoid electrical hazards. Do's and Don'ts and Safety measures rules are displayed in each laboratory. Do's 1. Students must wear uniform, shoes and ID card at all times. Failure to comply with this dress code will result in being denied entry to the laboratory. 2. Know the location of the fire extinguisher and the first aid box and how to use them in case of an emergency. 3. Report fires or accidents to faculty in charge/ laboratory instructor immediately. 4. Report any broken plugs or exposed electrical wires immediately to the faculty in charge/laboratory instructor. Don'ts 1. Do not eat or drink in the laboratory. 2. Do not open the system unit casing or monitor casing particularly when the power is turned on. 3. Do not touch, connect or disconnect any plug or cable without faculty in charge / laboratory instructor's permission. 4. The lab has a "strict discipline" policy—avoid loud talking, moving between tables unnecessarily, or mishandling the logic trainer kits.</p> |
| <p>4</p> | <p>VLSI Laboratory</p> | <p>The laboratory is equipped with a fire extinguisher for emergency fire handling and an automatic cut-off MCB system to prevent electrical overloads and short circuits. Uninterrupted Power Supply (UPS) support is provided to ensure continuous operation of systems during power fluctuations or outages. Regular data backup mechanisms are maintained to safeguard important academic and research data. A first aid box is readily available to handle minor medical emergencies. Firewall protection is enabled to ensure cybersecurity and prevent unauthorized access. Proper electrical earthing is maintained to avoid electrical hazards, and 24-hour power supply is ensured for uninterrupted laboratory functioning. Do's and Don'ts and Safety measures rules are displayed in each laboratory. Do's 1. Students are required to wear appropriate uniforms and ID cards at all times. 2. Know the location of the fire extinguisher and the first aid box and how to use them in case of an emergency. 3. Report fires or accidents to faculty in charge/ laboratory instructor immediately. 4. Report any broken plugs or exposed electrical wires immediately to the faculty in charge/laboratory instructor. Don'ts 1. Do not eat or drink in the laboratory. 2. Avoid stepping on electrical wires or any other computer cables. 3. Do not open the system unit casing or monitor casing particularly when the power is turned on. 4. Do not insert metal objects such as clips, pins and needles into the computer casings. 5. Do not touch, connect or disconnect any plug or cable without faculty in charge / laboratory instructor's permission. 6. Do not plug in external devices without scanning them for computer viruses. 7. The lab has a "strict discipline" policy—avoid loud talking, moving between tables unnecessarily, or mishandling the FPGA kits.</p> |

| | | |
|---|---------------------------------|---|
| 5 | Electro Magnetics Laboratory | <p>The laboratory is equipped with a fire extinguisher for emergency fire handling and an automatic cut-off MCB system to prevent electrical overloads and short circuits. Proper electrical earthing is maintained to avoid electrical hazards. Do's and Don'ts and Safety measures rules are displayed in each laboratory. Do's 1. Students must wear uniform, shoes and ID card at all times. Failure to comply with this dress code will result in being denied entry to the laboratory. 2. Know the location of the fire extinguisher and the first aid box and how to use them in case of an emergency. 3. Report fires or accidents to the faculty in charge/ laboratories instructor immediately. 4. Report any broken plugs or exposed electrical wires immediately to the faculty in charge/laboratory instructor. Don'ts 1. Do not eat or drink in the laboratory. 2. Do not insert metal objects such as clips, pins and needles into the equipment. 3. Do not touch, connect or disconnect any plug or cable without faculty in charge / laboratory instructor's permission. 4. The lab has a "strict discipline" policy—avoid loud talking, moving between tables unnecessarily, or mishandling the instruments.</p> |
| 6 | Electronics Circuits Laboratory | <p>The laboratory is equipped with a fire extinguisher for emergency fire handling and an automatic cut-off MCB system to prevent electrical overloads and short circuits. Uninterrupted Power Supply (UPS) support is provided to ensure continuous operation of systems during power fluctuations or outages. A first aid box is readily available to handle minor medical emergencies. Proper electrical earthing is maintained to avoid electrical hazards. Do's and Don'ts and Safety measures rules are displayed in each laboratory. Do's 1. Students must wear uniform, laboratory coat, shoes and ID card at all times. Failure to comply with this dress code will result in being denied entry to the laboratory. 2. Know the location of the fire extinguisher and the first aid box and how to use them in case of an emergency. 3. Report fires or accidents to the faculty in charge/ laboratories instructor immediately. 4. Report any broken plugs or exposed electrical wires immediately to the faculty in charge/laboratory instructor. 5. Use the correct tools for soldering. Always use a stand for the soldering iron and check that equipment is not damaged. Don'ts 1. Do not eat or drink in the laboratory. 2. Avoid stepping on electrical wires or any other cables. 3. Do not open the system unit casing or monitor casing particularly when the power is turned on. 5. Do not touch, connect or disconnect any plug or cable without faculty in charge / laboratory instructor's permission. 6. The lab has a "strict discipline" policy—avoid loud talking, moving between tables unnecessarily, or mishandling the equipment.</p> |

D3. Project Laboratory/Research Laboratory

PART E: First Year faculty and financial Resources

(Data to be filled in for the first year course faculty and budget allocation and utilization)

E1. First Year Student-Faculty Ratio (FYSFR)

Table No. E1.1: FYSFR details.

| Year | Sanctioned intake of all UG programs (S4) | No. of required faculty (RF4= S4/20) | No. of faculty members in Basic Science Courses & Humanities and Social Sciences including Management courses (NS1) | No. of faculty members in Engineering Science Courses (NS2) | Percentage= No. of faculty members ((NS1*0.8) + (NS2*0.2))/(No. of required faculty (RF4)); Percentage= ((NS1*0.8) + (NS2*0.2))/RF |
|----------------|---|--------------------------------------|---|---|---|
| 2023-24(CAYm2) | 360 | 18 | 12 | 11 | 66 |
| 2024-25(CAYm1) | 270 | 14 | 12 | 16 | 91 |
| 2025-26(CAY) | 270 | 14 | 13 | 14 | 94 |

E2. Budget Allocation, Utilization, and Public Accounting at Institute Level

Table No. E2.1: Budget and actual expenditure incurred at Institute level.

| Items | Budgeted in 2025-26 | Actual Expenses in 2025-26 till | Budgeted in 2024-25 | Actual Expenses in 2024-25 till | Budgeted in 2023-24 | Actual Expenses in 2023-24 till | Budgeted in 2022-23 | Actual Expenses in 2022-23 till |
|-------------------------|---------------------|---------------------------------|---------------------|---------------------------------|---------------------|---------------------------------|---------------------|---------------------------------|
| Infrastructure Built-Up | 3500000 | 0 | 900000 | 856338 | 700000 | 585290 | 1500000 | 1346106 |
| Library | 300000 | 0 | 15000 | 13263 | 350000 | 303215 | 210000 | 213100 |

| | | | | | | | | |
|--------------------------------------|-----------------|----------|-----------------|-----------------|-----------------|--------------------|-----------------|-----------------|
| Laboratory equipment | 125000 | 0 | 1200000 | 1187968 | 1200000 | 1140804 | 1600000 | 1484546 |
| Teaching and non-teaching staff | 35000000 | 0 | 30000000 | 29589840 | 29000000 | 27858519 | 29100000 | 29172202 |
| Outreach Programs | 50000 | 0 | 30000 | 27500 | 30000 | 27500 | 55000 | 36400 |
| R&D | 100000 | 0 | 50000 | 46500 | 400000 | 365000 | 120000 | 112500 |
| Training, Placement and | 100000 | 0 | 140000 | 59754 | 300000 | 281000 | 2935000 | 2819485 |
| SDGs | 150000 | 0 | 35000 | 30000 | 310000 | 300000 | 10000 | 0 |
| Entrepreneurship | 35000 | 0 | 35000 | 33924 | 23000 | 22101 | 150000 | 112500 |
| Staff welfare fund, Student welfare, | 10900000 | 0 | 9720000 | 9418347 | 13680000 | 12930595.87 | 13150000 | 13156838 |
| Total | 50260000 | 0 | 42125000 | 41263434 | 45993000 | 43814024.87 | 48830000 | 48453677 |

E3. Budget Allocation, Utilization, and Public Accounting at Program Specific Level

Table No. E3.1: Budget and actual expenditure incurred at program level.

| Items | Budgeted in 2025-26 | Actual Expenses in 2025-26 till | Budgeted in 2024-25 | Actual Expenses in 2024-25 till | Budgeted in 2023-24 | Actual Expenses in 2023-24 till | Budgeted in 2022-23 | Actual Expenses in 2022-23 till |
|---------------------------------------|---------------------|---------------------------------|---------------------|---------------------------------|---------------------|---------------------------------|---------------------|---------------------------------|
| Laboratory equipment | 370000 | 0 | 400000 | 309000 | 488200 | 343500 | 50000 | 8540 |
| Software | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| SDGs | 0 | 0 | 10000 | 9850 | 0 | 0 | 0 | 0 |
| Support for faculty development | 300000 | 0 | 300000 | 220500 | 300000 | 259000 | 300000 | 230200 |
| R & D | 100000 | 0 | 100000 | 49250 | 10000 | 80500 | 50000 | 30100 |
| Industrial Training, Industry expert, | 30000 | 0 | 30000 | 28500 | 88000 | 68200 | 150000 | 120750 |
| Miscellaneous Expenses* | 100000 | 0 | 100000 | 98250 | 50000 | 21500 | 100000 | 83500 |
| Total | 900000 | 0 | 940000 | 715350 | 936200 | 772700 | 650000 | 473090 |